

```
<?xml version="1.0" encoding="iso-8859-1"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN" "http://www.w3.
org/TR/xhtml11/DTD/xhtml11.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <title>Manila 2004: Christmas</title>

    <link rel="stylesheet" href="css/manila-basic.css" type="text/css"/>
    <link rel="stylesheet" href="css/manila-xmas.css" type="text/css"/>
    <link rel="stylesheet" href="css/manila-xmas-menu.css" type="text/css"/>

    <script type="text/javascript" src="javascript/xmas-menu.js"/>
  </head>

  <body>
    <h1>Christmas</h1>

    <div class="menu">
      <h2>
        <a class="star" id="gallery" href="christmas-gallery.html"
          onmouseover="highlight('gallery')"
          onmouseout="regular('gallery')">
          Gallery
        </a>
      </h2>

      <h2>
        <a class="star" id="slideshow" href="christmas-slideshow.html"
          onmouseover="highlight('slideshow')"
          onmouseout="regular('slideshow')">
          Slideshow
        </a>
      </h2>

      <h2>
        <a class="star" id="clips" href="christmas-clips.html"
          onmouseover="highlight('clips')"
          onmouseout="regular('clips')">
          Clips
        </a>
      </h2>

      <h2 class="minor"><a href="index.html">Main Menu</a></h2>
    </div>
  </body>
</html>
```

```
<?xml version="1.0" encoding="iso-8859-1"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN" "http://www.w3.
org/TR/xhtml11/DTD/xhtml11.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <title>Manila 2004: Christmas: Gallery</title>

    <link rel="stylesheet" href="css/manila-basic.css" type="text/css"/>
    <link rel="stylesheet" href="css/manila-xmas.css" type="text/css"/>
    <link rel="stylesheet" href="css/manila-xmas-menu.css" type="text/css"/>

    <script type="text/javascript" src="javascript/xmas-menu.js"></script>
  </head>

  <body>
    <h1>Christmas: Gallery</h1>

    <div class="menu">
      <h2 class="minor"><a href="christmas.html">Back to Christmas</a></h2>
    </div>

    <!-- Of course, instead of direct links to the images, you can get fancier
    and link to further Web pages, or even use JavaScript. -->
    <div class="gallery">
      <a href="images/christmas/img_1346.jpg">
        
      </a>
      <a href="images/christmas/img_1349.jpg">
        
      </a>
      <a href="images/christmas/img_1354.jpg">
        
      </a>
      <a href="images/christmas/img_1598.jpg">
        
      </a>
      <a href="images/christmas/img_2417.jpg">
        
      </a>
    </div>
  </body>
</html>
```

```

.../File Cabinet/School/LMU CMSI 252/Manila 2004 Sample/web/christmas-slideshow.html
<?xml version="1.0" encoding="iso-8859-1"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN" "http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <title>Manila 2004: Christmas Slideshow</title>

    <link rel="stylesheet" href="css/manila-basic.css" type="text/css"/>
    <link rel="stylesheet" href="css/manila-xmas.css" type="text/css"/>
    <link rel="stylesheet" href="css/manila-xmas-menu.css" type="text/css"/>

    <script type="text/javascript" src="javascript/xmas-menu.js"></script>
    <script type="text/javascript" src="javascript/slideshow.js"></script>

    <!-- This script defines the images to use in the slideshow. -->
    <script type="text/javascript">
      var slides = new Array(5);
      slides[0] = "images/christmas/img_1346.jpg";
      slides[1] = "images/christmas/img_1349.jpg";
      slides[2] = "images/christmas/img_1354.jpg";
      slides[3] = "images/christmas/img_1598.jpg";
      slides[4] = "images/christmas/img_2417.jpg";
    </script>
  </head>

  <body>
    <h1>Christmas Slideshow</h1>

    <div class="menu">
      <h2 class="minor"><a href="christmas.html">Back to Christmas</a></h2>
    </div>

    <div class="theater">
      <span class="control" onclick="previous();">&laquo;</span>
      
      <span class="control" onclick="next();">&raquo;</span>
    </div>
  </body>
</html>

```

```

.../Documents/File Cabinet/School/LMU CMSI 252/Manila 2004 Sample/web/christmas-clips.html
<?xml version="1.0" encoding="iso-8859-1"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN" "http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <title>Manila 2004: Christmas Clips</title>

    <link rel="stylesheet" href="css/manila-basic.css" type="text/css"/>
    <link rel="stylesheet" href="css/manila-xmas.css" type="text/css"/>
    <link rel="stylesheet" href="css/manila-xmas-menu.css" type="text/css"/>

    <script type="text/javascript" src="javascript/xmas-menu.js"/>
  </head>

  <body>
    <h1>Christmas Clips</h1>

    <div class="menu">
      <h2>
        <a class="star" id="dancing1" href="christmas-dancing1.html"
          onmouseover="highlight('dancing1')"
          onmouseout="regular('dancing1')">
          Dancing 1
        </a>
      </h2>

      <h2>
        <a class="star" id="dancing2" href="christmas-dancing2.html"
          onmouseover="highlight('dancing2')"
          onmouseout="regular('dancing2')">
          Dancing 2
        </a>
      </h2>

      <h2 class="minor"><a href="christmas.html">Back to Christmas</a></h2>
    </div>
  </body>
</html>

```

```

.../File Cabinet/School/LMU CMSI 252/Manila 2004 Sample/web/christmas-dancing1.html
<?xml version="1.0" encoding="iso-8859-1"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN" "http://www.w3.
org/TR/xhtml11/DTD/xhtml11.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <title>Manila 2004: Christmas Clips: Dancing 1</title>

    <link rel="stylesheet" href="css/manila-basic.css" type="text/css"/>
    <link rel="stylesheet" href="css/manila-xmas.css" type="text/css"/>
    <link rel="stylesheet" href="css/manila-xmas-menu.css" type="text/css"/>

    <!-- Utility script for embedding QuickTime files,
         downloadable from http://developer.apple.com/internet/licensejs.html -->
    <script type="text/javascript" src="javascript/AC_QuickTime.js"></script>
  </head>

  <body>
    <h1>Christmas Clips: Dancing 1</h1>

    <div class="menu">
      <h2 class="minor"><a href="christmas-clips.html">Back to Christmas
        Clips</a></h2>
    </div>

    <!-- This example illustrates embedding with the QuickTime plugin. -->
    <div class="theater">
      <script type="text/javascript">
        QT_WriteOBJECT("clips/dancing1.avi", "320", "256", "",
          "autoplay", "false");
      </script>
    </div>
  </body>
</html>

```

```

.../File Cabinet/School/LMU CMSI 252/Manila 2004 Sample/web/christmas-dancing2.html
<?xml version="1.0" encoding="iso-8859-1"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN" "http://www.w3.
org/TR/xhtml11/DTD/xhtml11.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <title>Manila 2004: Christmas Clips: Dancing 2</title>

    <link rel="stylesheet" href="css/manila-basic.css" type="text/css"/>
    <link rel="stylesheet" href="css/manila-xmas.css" type="text/css"/>
    <link rel="stylesheet" href="css/manila-xmas-menu.css" type="text/css"/>
  </head>

  <body>
    <h1>Christmas Clips: Dancing 2</h1>

    <div class="menu">
      <h2 class="minor"><a href="christmas-clips.html">Back to Christmas
        Clips</a></h2>
    </div>

    <!-- This example illustrates embedding with the Flash plugin. -->
    <div class="theater">
      <!-- Here's a case where standards and implementation are still wildly
           out-of-sync: The <object> tag is the official way to invoke
           plug-ins, but not all browsers use it properly yet. So we nest
           a non-XML <embed> tag; this breaks validation but keeps the
           page operational in many browsers. -->
      <object classid="clsid:d27cdb6e-ae6d-11cf-96b8-444553540000"
        codebase="http://fpdownload.macromedia.
        com/pub/shockwave/cabs/flash/swflash.cab#version=8,0,0,0" width="320"
        height="240" id="dancing2">
        <param name="allowScriptAccess" value="sameDomain"/>
        <param name="movie" value="clips/dancing2.swf"/>
        <param name="quality" value="high"/>
        <param name="bgcolor" value="#000000"/>

        <!-- If you still want to validate, comment out the tag below when
             validating, then re-enable it when deploying the page. -->
        <embed src="clips/dancing2.swf" width="320" height="240"/>
      </object>
    </div>
  </body>
</html>

```

.../Documents/File Cabinet/School/LMU CMSI 252/Manila 2004 Sample/web/css/manila-basic.css

```
body {
  background-color: black;
  color: white;
  margin: 2em
}

a:link {
  color: white
}

a:visited {
  color: gray
}

a:hover {
  color: yellow
}

a:active {
  color: green
}

.menu {
  margin-left: 4em;
  margin-right: 4em
}

.footer {
  position: absolute;
  bottom: 1em
}

h2.minor {
  text-align: right
}
```

.../Documents/File Cabinet/School/LMU CMSI 252/Manila 2004 Sample/web/css/manila-xmas.css

```
body { background-image: url(images/christmas-main.jpg) }

a:link { color: green }
a:active { color: red }

div.intro { text-indent: 2em }

h1 {
  font-family: cursive; font-style: italic; font-size: 5em;
  color: red
}

h2 {
  margin-top: 2em; margin-bottom: 2em;
}

.gallery, .theater {
  background-color: black;
  text-align: center;
  padding: 1em;
}

.star, .starspin {
  background-repeat: no-repeat;
  background-position: center left;

  /* We use pixels here because this is based on the image files used. */
  /* The order is top right bottom left. */
  padding: 28px 0px 28px 64px;
}

.star {
  background-image: url(images/star.gif);
}

.starspin {
  background-image: url(images/starspin.gif);
}

.thumbnail {
  padding: 0.2ex;
  margin: 1ex;
  background-color: red;
}

.control {
  font-size: 200%;
  cursor: pointer;
}
```

```
body {  
  background-image: url(images/christmas-background.jpg)  
}  
  
img {  
  vertical-align: middle;  
  padding-right: 5px  
}  
  
a {  
  vertical-align: middle  
}
```

```
function highlight(elementName) {  
  document.getElementById(elementName).className = "starspin"  
}  
  
function regular(elementName) {  
  document.getElementById(elementName).className = "star"  
}
```

```
var currentSlide = 0;

function updateSlide(imageURL) {
    document.getElementById("slide").src = imageURL;
}

function previous() {
    currentSlide--;
    if (currentSlide < 0) {
        currentSlide = slides.length - 1;
    }
    updateSlide(slides[currentSlide]);
}

function next() {
    currentSlide++;
    if (currentSlide >= slides.length) {
        currentSlide = 0;
    }
    updateSlide(slides[currentSlide]);
}
```